

KIMI KOLOR

La estética de tus obras



www.kimikolor.com

Quality Architectural Products

Quality • Elegance • Versatility • Durability • Beauty • Resistance • Diversity • High Yield



Specialized products for concrete and construction

We are a company dedicated to the production and distribution of products for decorative concrete and construction. We offer several solutions for your different needs. We mainly focus on stamped, polished, oxidized concrete floors and other types of finishes, supplying all the equipment, machinery, specialized tools, additives and accessories necessary for correct execution.

At KIMIKOLOR you will find a wide assortment of excellent quality materials and tools. We also provide you with all the services and guidance you may require.

Our products have nationwide presence, as well as in Central and South America.

MISSION

To provide our clients with the highest quality concrete and construction products, with the best service, supporting their projects all through the completion of construction.

VISION

We wish to be the company with the highest quality and service in the construction market and to provide our clients with the satisfaction and confidence of always using KIMIKOLOR products.



Kimikolor is:

- Stamped Concrete
- Architectural Mortars
- Concrete Pigments
- Concrete Acids and Inks
- Re-levelers
- Specialized Tools
- Light Machinery
- Construction Additives
- Epoxy Coatings
- Polyurethane and Epoxy Sealants
- Decorative Stones
- Spacers
- Technical Advice
- Personalized Attention and so much more!





Kimiplaster Architectural System

KIMIPLASTER MORTAR FOR ARCHITECTURAL FINISHES



Kimiplaster is a Specialized Mortar with which we can obtain architectural finishes of great quality and beauty. It highlights natural textures and tones such as Apparent Concrete and the countertype to the Chukum finish, among other tones. Its components increase durability, resistance to UV rays, and improve adhesion of the paste, facilitating its installation.

- We obtain finishes of a high aesthetic standard.
- It can be under constant water immersion, therefore it may be applied in swimming pools, fountains, ponds, pools, etc.
- It coats and protects all types of interior and exterior facades, such as walls (load and non-load bearing), ceilings, flowerpots, among others.
- Since it has excellent adhesion and flexibility, it may be applied over vertical and horizontal areas.
- Kimiplaster is ready to use, just add water, mix, and apply.



Blanco Sascab KP-10



Concreto Aparente KP-42



Chukum KP-60



Laja Kaua KP-18



Jade Maya KP-48




Amarillo Ixil KP-26



Naranja Ticul KP-62



Rojo Conkal KP-58



Café Motul KP-34



Gris Ucu KP-44



Gris Opichén KP-70



Negro Zama KP-46



KIMIAKRIL KA-10 ACRYLIC SEALING VARNISH

Kimiakril is a Sealing Varnish for concrete, perfect for protecting both interior and exterior surfaces. By creating a protective film, it extends the lifetime of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.



**Buréa Studio
Apartments**

- Kimiplaster
Chukum KP-60
- Polished wall
- Kimiakril KA-10 Acrylic
Sealing Varnish



Villa Moloch, Tulum

- Kimiplaster
Chukum KP-60
- Polished wall
- Kimiakril KA-10 Acrylic
Sealing Varnish




Empírea House

- Kimplaster Concreto Aparente KP-42
- Polished wall
- Kimiakril KA-10 Acrylic Sealing Varnish




Edron Gallery

- Kimplaster Laja Kaua KP-18
- Polished wall
- Kimiakril KA-10 Acrylic Sealing Varnish




Bugambilias House

- Kimplaster Concreto Aparente KP-42, Chukum KP-60, Rojo Conkal KP-58
- Polished wall
- Kimiakril KA-10 Acrylic Sealing Varnish



**Palmeto Portic,
Cholul**

- Kimiplaster
Café Motul KP-34
- Polished wall
- Kimiakril KA-10 Acrylic
Sealing Varnish



**Hotel Carolina.
Bacalar, Quintana Roo**

- Kimiplaster
Laja Kaua KP-18
- Polished wall
- Kimiakril KA-10 Acrylic
Sealing Varnish




Kimiplaster Architectural System: Elegance, beauty, quality, durability, versatility, easy installation.



**Exfábrica
Richaud House**

- Kimiplaster Blanco Sascab KP-10
- Polished wall
- Kimiakril KA-10 Acrylic Sealing Varnish



**Complex Corazón
de Tierra**

- Kimiplaster Naranja Temozón KP-28, Chukum KP-60
- Polished wall
- Kimiakril KA-10 Acrylic Sealing Varnish

Kimi Quartz Architectural Coating System

KIMIQUARTZ ARCHITECTURAL COATING




Kimi Quartz is a cementitious architectural mortar with exposed aggregate that is used to finish different types of surfaces, both indoors and outdoors.


It has different types of quartz sand granulometry, is resistant to UV rays, and obtains high quality aesthetic effects. Mainly used in swimming pools, water mirrors or any surfaces under constant water immersion.




Arena QK-18



Perla QK-10




Esmeralda QK-36




Turquesa QK-50




Gris Cálido QK-42



Grafito QK-46



Granito QK-70



Ceniza QK-44



KIMIAKRIL KA-10 ACRYLIC SEALING VARNISH




Kimiakril is a Sealing Varnish for concrete, perfect for protecting both interior and exterior surfaces. By creating a protective film, it extends the life-time of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.



Private Project

- Kimiquartz
- Esmeralda KQ-36
- Polished wall



Private Project

- Kimiquartz
- Grafito KQ-46
- Polished wall


Kimikolor Stamped Concrete System



KIMIHARD COLOR HARDENER



Kimihard is a powder specially designed for coloring fresh concrete floors as part of the Stamped Concrete System process. It is of high-quality and its pigments are long-lasting and resistant, both indoors and outdoors.




- | | | | | |
|------------------------|---------------------------|------------------------|-------------------|----------------------|
| 1. Blanco Concha KH-10 | 5. Beige KH-20 | 9. Mandarina KH-28 | 13. Gray KH-42 | 17. Jade KH-48 |
| 2. Sunset KH-14 | 6. Chukum KH-60 | 10. Santa Fe KH-32 | 14. Plata KH-38 | 18. Azul Cielo KH-50 |
| 3. Travertino KH-16 | 7. Madera Claro KH-21 | 11. Nuevo México KH-34 | 15. Steel KH-40 | *Tones may vary. |
| 4. Dorado KH-18 | 8. Amarillo Tráfico KH-26 | 12. Rojo Tabique KH-58 | 16. Eclipse KH-46 | |



KIMIRELEASE MOLD RELEASING POWDER



Kimirelease is a Mold Releasing Powder that is used in the Stamped Concrete System process, which is sprinkled over the surface pigmented with Kimihard, achieving stamping with molds without them adhering to the concrete, since it forms a waterproof barrier. This can be in a neutral or pigmented color, which provides another tone to textures, giving the finish a contrasting effect.



- | | |
|-----------------|---------------------|
| 1. Neutro KR-11 | 4. Café claro KR-21 |
| 2. Negro KR-13 | 5. Chocolate KR-17 |
| 3. Café KR-15 | 6. Gris KR-19 |
| | *Tones may vary. |

KIMIAKRIL KA-10 ACRYLIC SEALING VARNISH




Kimiakril is a Sealing Varnish for concrete, perfect for protecting both interior and exterior surfaces. By creating a protective film, it extends the lifetime of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.



Plaza La Isla, Mérida

- Mold: Random River Rock K-R3 60
- KimiHard Sunset KH-14
- KimiRelease Café KR-15
- Kimiakril KA-10 Acrylic Sealing Varnish




Private Project

- Mold: Cuadros Irregulares K-C15
- KimiHard Steel KH-40
- KimiRelease Negro KR-13
- Kimiakril KA-10 Acrylic Sealing Varnish


Concrete Molds



LAJA OLD GRANITE CLEFT STONE
K-LOG 10
90 X 90 CM



CALIFORNIA WEAVE
K-CW 20
120 X 60 CM




BOARDWALK
K-BW 30
30 X 180 CM




EUROPEAN FAN STONE
K-EF 100
70 X 130 CM



HERRINGBONE OLD
COBBLESTONE K-HC 40
60 X 92.5 CM



ROMAN SLATE TILE
K-RST 20
120 X 60 CM



RANDOM SANDSTONE GROUTABLE
K-RSG 100
85 X 90 CM



RANDOM SANDSTONE HAMMERED
K-RSH 130
85 X 90 CM



RUNNING USED BRICK
K-RUB 40
42.5 X 90 CM



SERPENTINE SLATE
K-SS 70
77.5 X 135 CM



RANDOM BOARDWALK
K-DUELA 30
180 X 75 CM



STARFISH
SA3204
30 X 30 CM




PIEDRA MÉRIDA
K-PM 60
85 X 90 CM



ASHLAR ROTATING ITALIAN SLATE
K-ARI 20
120 X 120 CM



ASHLAR NEW ENGLAND SLATE
K-ANE 100
60 X 60 CM



OPA LOCKA NEW ENGLAND
SLATE K-ONE 20
90 X 60 CM




RANDOM GARDEN STONE
K-RGS 60
90 X 90 CM



RANDOM RIVER ROCK
K-R3 60
103.5 X 103.5 CM



CASTLE STONE
K-CAST 50
77.5 X 135 CM




ESCUADRA
K-CE5
100 X 52.5 CM




CUADROS IRREGULARES
K-CI5
87.5 X 57.5 CM



SET OF FISH
SA3001
7 X 12 / 12 X 20 CM



DOLPHIN #2 (DOUBLE)
SA3102
55 X 23 CM



SEA TURTLE #2
SA3202
33 X 33 CM

Kimistain Oxidizing Concrete System

KIMISTAIN OXIDIZING ACID



Kimistain is a liquid that, through chemical reactions, permanently changes the color of concrete without altering properties such as its hardness, porosity, or texture. It penetrates and reacts over any new or old concrete surfaces. It produces natural tones such as browns, reddish oxides, blues, to name a few.

This can be used over horizontal and vertical concrete such as floors, walls, benches, plateaus, columns, or any concrete coating.



1




2



3



4



5



6

1. Terracota KS-34
2. Sunset KS-14

3. Eclipse KS-46
4. Turquesa KS-50

5. Verde Olivo KS-36
6. Cobre KS-30
*Tones may vary.



KIMIAKRIL KA-10 ACRYLIC SEALING VARNISH



Kimiakril is a Sealing Varnish for concrete, perfect for protecting both interior and exterior surfaces. By creating a protective film, it extends the life-time of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.

Kimistain Oxidizing Concrete System: Originality, unique reaction, versatility, ease, elegance.

Kimidye Concrete Dying System

KIMIDYE CONCRETE DYE



Kimidye is a dye that decorates and breathes new life into new or old concrete surfaces, giving them a translucent and natural finish. It has an excellent grip, is resistant to UV rays and comes in a wide variety of tones.

It may be used over any concrete surfaces such as floors, walls, columns, among others; always easy to apply, giving the concrete a natural appearance.



Plaza The Harbor

- Kimidye Rojo KM-58, Amarillo KM-26, Verde KM-48, Azul KM-52, Café KM-34
- Kimiakril KA-10 Acrylic Sealing Varnish



1. Negro KM-46
2. Amarillo KM-26

3. Sunset KM-14
4. Verde KM-48

5. Café KM-34
6. Naranja KM-28

7. Rojo KM-58
8. Azul KM-52
*Tones may vary.



KIMIAKRIL KA-10 ACRYLIC SEALING VARNISH



Kimiakril is a Sealing Varnish for concrete, perfect for protecting both interior and exterior surfaces. By creating a protective film, it extends the lifetime of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.

Kimidye Concrete Dying System: Versatility, renovation, variety, easy application.

Kimitop Ultra-Thin Concrete System

KIMITOP OVERLAY ULTRA-THIN OVERLAY MORTAR FOR EXISTING CONCRETE




Kimitop Ultra-Thin Overlay is a mortar used as an overlay of existing cement, it may be applied as a thin layer and can be stamped or given any other type of finish. It can be installed over new or old, interior, or exterior concrete. Ultra-thin printed, striped, and coated finishes, among others, can be obtained. It can also be pigmented and oxidized.



Hotel Loreto, B.C.S.

- Kimitop Blanco Concha KT-10
- Kimiakril KA-10 Acrylic Sealing Varnish



1. Blanco Concha KT-10
2. Sunset KT-14
3. Amarillo Tráfico KT-26

4. Dorado KT-18
5. Chukum KT-60
6. Mandarina KT-28

7. Rojo Tabique KT-58
8. Nuevo México KT-34
9. Concreto Aparente KT-42

10. Gray KT-42
 11. Steel KT-40
 12. Eclipse KT-46
- *Tones may vary.



KIMIAKRIL KA-10 ACRYLIC SEALING VARNISH



Kimiakril is a Sealing Varnish for concrete, perfect for protecting both interior and exterior surfaces. By creating a protective film, it extends the life-time of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.


Kimikret Concrete Pigment System



KIMIKRET INTEGRAL COLOR



Integral Color is a mixture of pigments of the highest quality, specially designed for the coloring of cementitious or concrete surfaces that when mixed, results in excellent tinting powers. It has exceptional resistance to light and alkalinity. It adds life to your architectural projects and comes in different tones.



1. Amarillo KKI-26
2. Verde KKI-48

3. Rojo KKI-58
4. Negro KKI-46


5. Naranja KKI-62
6. Café KKI-34

*Tones may vary.

KIMIKRET INTENSE COLOR



Kimikret Intense Color is a mixture of pigments of the highest quality, specially designed for the coloring of cementitious or concrete surfaces that when mixed, results in excellent tinting powers. It has exceptional resistance to light and alkalinity. It adds life to your architectural projects and comes in different tones. It is used to give color to concrete floors, blocks, prefabricated segments, abocretes, among others.



1. Amarillo KKN-26
2. Verde KKN-48

3. Rojo KKN-58
4. Negro KKN-46


5. Naranja KKN-62
6. Café KKN-34

7. Azul KKN-52
*Tones may vary.

KIMIKRET MINERAL COLOR



Kimikret Mineral Color is a mixture of pigments of the highest quality, specially designed for the coloring of cementitious or concrete surfaces that, when mixed, results in excellent tinting powers. It has an excellent resistance to light and alkalinity. It adds life to your architectural projects and comes in different tones. It can be used to color putties, pigment pans, change the appearance of finishes, and so forth.



1. Amarillo KKM-26
2. Verde KKM-48

3. Rojo KKM-58
4. Negro KKM-46

5. Naranja KKM-62
6. Café KKM-34

7. Azul KKM-52
*Tones may vary.

KIMI AKRIL MATTE ACRYLIC SEALANT VARNISH



Kimiakril Matte Acrylic Sealant Varnish is perfect for protecting both interior and exterior surfaces without leaving a shiny surface. Creating a protective film extends the life of the concrete in addition to improving its appearance. It provides greater resistance to finishes and enhances the existing tone.



KIMI ANTI SLIP ANTI SLIP ADDITIVE



Kimi Anti Slip is an aggregate that creates slip resistance after forming a fine texture when applied with Kimiakril Sealant Varnish over the desired surface. It can be easily mixed into most decorative sealants subtly reducing their shine. It is ideal for patios, hallways, pool areas or wherever a non-slip surface is desired.



KIMIBOND ADHESIVE FOR CONCRETE AND MORTARS



Kimibond is an acrylic resin solution that creates a transparent film ideal for adhering and mixing mortars on the most common construction surfaces.



KIMITX TEXTURIZER FOR SMOOTH SURFACES



KimiTx is a texturizer for smooth surfaces that creates a layer with enough texture to allow for different types of finishes to adhere to the new base, such as Kimiplaster, pastes and other architectural mortars. It is applied to smooth interior surfaces such as drywall, polystyrene, plaster or any polished finish.



KIMIGUARD HIGH- PENETRATION SEALANT



Kimiguard is a sealant designed to protect concrete, brick, stone and mortar surfaces by providing a highly effective barrier against water and chlorides. It may be applied to new or old concrete surfaces.



KIMIRV VARNISH REMOVER



KimiRV is an easy to apply, high-performance remover. It may be used on concrete surfaces to remove enamels or varnishes, in cases where a sealant must be completely removed in order to apply a new finish.



KIMIWAX WATER BASED ACRYLIC WAX



KimiWax is a wax that forms a transparent and resistant layer to protect different types of concrete finishes, offering excellent aesthetic shine and protection, as it acts as a coating, extending the life of the finish. It reduces the need to reseal surfaces and does not turn yellow over time.



KIMISEAL HIGH-PENETRATION WATER BASED SEALER



Kimiseal seals and waterproofs materials such as concrete, quarry stones, cinder blocks, cementitious mortar, and so forth. It helps to prevent humidity and green hues in finishes, it is of great yield and durability, and with excellent weather resistance. It comes ready to use, has good penetration and does not change the appearance of the surface.



Specialized Tool

STAINLESS STEEL TROWELS



BON TOOL 83-208-B9 STAINLESS STEEL TROWELS 13"x 5". Designed for finishing the corners of sidewalks. High quality stainless steel thick gauge blade. With Durasoft and Comfort handle that provides a soft grip and reduces fatigue. It comes in different radii and lip measurements.

TEXTURIZING COMB



12-491. 60" - 3/4 BON TOOL
Heavy duty wire drag comb. Replaceable 1/8" stainless steel pins. Flat is securely mounted. Order the handle #12-328, fork, or adapter #12-327 #12-259 to fit to the float handles. Non-standard lengths available upon request. Replacement pins sold separately.

CELTA ROUND TROWEL 10 REM. ROUND



Made of high carbon tempered steel. Mirror polished aluminum handle. Polished and varnished sheet, perfectly balanced. Wooden grip.

CELTA ROUND TROWEL 18 REM. 24"



Made of tempered carbon steel, it is perfect for covering large floor areas.

CELTA SQUARE TROWEL 12 REM. WOOD



Made of high carbon tempered steel. Mirror polished aluminum handle. Polished and varnished blade, perfectly balanced. Wooden handle.

CELTA FRESNO TROWEL



LLFA-24", 36" and 48" CELTA.
Manufactured with a hardened, wear-resistant steel blade, held firmly by means of reinforced rivets to a steel sole, the blade is rounded at the corners and is flexible for better handling. It is equipped with a rotating assembly to screw in an extension that allows you to operate it from different positions or angles.

CELTA EDGING TROWEL WITH SMOOTH ENDS



8X4 3/4 (LARGE)
Made of tempered steel sheet, attached to a stove-topped and lacquered wooden handle by means of two screws in its corners. This tool is used to shape the edge of concrete slabs.

BON TOOL PLASTIC TROWEL 4X12



Designed for the unique compounds used for "old world" and Venetian style wall surfaces. Flexible, durable, yet lightweight Lexan plastic sheet.

BON TOOL BULL FLOAT 48"



Magnesium float, round end. For an adapting head.

BON TOOL ALUMINUM EXTENSION



Constructed with thick-walled aluminum tubes. Heat treated and lightweight. Quick connection. 6' in length. Its ends are not threaded.

BON TOOL STEEL TROWEL



BON TOOL 22-603. 12 X 3 1/2.
Carbon steel blade, perfect feel, cast aluminum mount. It is equipped with an ergonomically designed Comfort Grip handle that reduces fatigue.

BON TOOL BIG BLUE TROWEL



Flexible blue steel blade. Rounded ends to eliminate any marks from overlapping.

CIPSA CONCRETE MIXER



Essential equipment in the mechanization of any construction site. These cement mixers have a pot with capacity for 1 bag of cement. Its robust and reinforced design makes it ideal in construction areas where fatiguing work times are required. The pot is perfectly balanced and sturdy; with greater mixing capacity and designed for easy loading and unloading.

HUSQVARNA FS 400 LV FLOOR CUTTER



The adjustable handlebar ensures low vibrations and an ergonomic working position with perfect weight distribution, providing perfect stability when cutting. Patent-pending low-vibration motor assembly with a high comfort level when working. IntelliSeal disc axle. Adjustable handlebar. Disc protection system.

HUSQVARNA TS60 TILE CUTTER



TS60 is an efficient tile cutter with a large capacity to cut all types of materials. You can easily make a slit or bevel 45-degree corners for maximum versatility. It is equipped with the innovative Jet Stream Water Containment system that keeps water and mud in the carriage during cutting, which represents a reduction of mud and cleaning of the entire area around the cutter.

HUSQVARNA K760 CONCRETE CUTTER



Our best-selling machine among all our slicers. It is light-weight and every detail has been developed with optimal ergonomics in mind. The excellent power-to-weight ratio, ignition reliability and exceptionally low vibrations (below 2.5 m/s²) result in less effort and maximized work time.

HUSQVARNA DMS 180 DRILLING MACHINE



Capable of drilling from 1/2" to 6". Its pedestals tilt up to 60°. Protection over electrical charge. With wheels that make it easy to transport. Combined base for cleat and vacuum.

HUSQVARNA SOFF-CUT CUTTER



This has been designed for bricolage (DIY) and light commercial applications. It is the lightest gasoline cutter in the Soff-Cut range. It comes with disc housing that is low in noise, allowing the unit to be used in residential areas with minimal disturbance. Additionally, the low dust blocking system allows for dry cutting that is easy to clean.

VIBRATOR ASSEMBLY



MVMP5 AA366.5 M-Power 5.5HP Drive Unit, vibrator assembly. Vibration frequency of 12000 VPM, flexible set of 6 meters CIPSA (harness included). CIPSA vibrators come in different gasoline and electric motor options.

HUSQVARNA LT6005 RAMMER



Honda GXR 120 engine. High compaction performance. Great ergonomics. Easy to maneuver. Simple maintenance.

WHITEMAN MQ DOUBLE POWER TROWEL



The dual ride-on power trowels are ideal for finishing floors that require a high level of flatness. Whiteman double power trowels are recommended for medium to large areas of construction work such as industrial plants, shopping centers, etc.

4 BLADE POWER TROWEL



The J36K65 / SXH 4 Blade Power Trowel, with a 36" diameter (90cm), M. Kohler 6.5 HP, 60 to 125 RPM, weight 68 Kgs. Standard handlebar. Its front access panel provides quick reach to the trowel arms and blades. Its spider and push collar mounting design simplifies routine maintenance. The gearbox features premium components and large oil capacity for years of trouble-free operation.

HUSQVARNA PG450 ROUGHING AND POLISHING MACHINE



It is a versatile and easy-to-use surface preparation and finishing machine. Perfect for a wide range of projects such as removing coating or polishing concrete.

WHITEMAN CONCRETE LOADER BUGGY



Concrete buggy with a Briggs 18 engine and retractable gear, high-density polyethylene hopper, with a capacity of 16.cu.ft. (cubic feet) maximum load 2500lbs. (1133 kg).

SURFLEX SURFACE HARDENER



It is a mixture of fine-grained non-metallic aggregates, with a base of plasticizing quartz silica and cement. It is an inexpensive floor hardener recommended for interiors and exteriors.

DURAL 340 SL EPOXY JOINT SEALANT



They are two-component, 100% solid epoxy resin systems. Ideal for semi-rigid epoxy joints, DURAL 340 SL & NS are available in standard gray and neutral base, which can be tinted with Euclid Universal Color Packs, available in 33 standard colors.

EUCO DIAMOND HARD LIQUID DENSIFIER FOR CONCRETE



Unique blend of silicates and silicone polymers that penetrate concrete surfaces and react chemically to increase surface density, durability and resistance to abrasion.

NS GROUT NON-SHRINKAGE MORTAR



It is a non-shrinking mortar with high mechanical resistance based on special cements, sands and additives, which controls volume changes and contractions. It is recommended for anchoring and leveling work due to its high fluidity, adhesion, positive expansion and high resistance at all ages.

EUCO 452 HIGH MODULE EPOXY ADHESIVE



EUCO #452 EPOXY SYSTEM is a 2-component, 100% reactive material designed as a moisture-insensitive adhesive and binder for numerous applications. This high modulus material is offered in low viscosity (LV), medium viscosity (MV), or GEL consistency. EUCO 452 EPOXY SYSTEM allows normal working time when bonded to concrete above 4°C.

EUCOSEAL MASONRY COATING



This is a heavy-duty cementitious coating with the purpose of waterproofing and protecting masonry. It is mixed with latex or water and applied to the surface of masonry or concrete walls.

EUCOSIL LIQUID DENSIFIER FOR CONCRETE



EUCOSIL is a water-based sodium silicate solution used to densify and prevent dust from releasing from concrete. It reacts chemically within the concrete and becomes an integral part of the surface, making the treated concrete denser and easier to preserve.

DURALKOTE 240 FLEXIBLE EPOXY COATING



It is a two-component, 100% solid epoxy system designed as a coating for walls and floors. It is flexible and offers excellent chemical resistance to abrasion.

SR 93 MORTAR FOR REPAIR



This is a repairing material for high-strength, single-component concrete, modified based on a polymer and microsilica. This high-performance cement-based mortar is available for application on horizontal, vertical, and overhead surfaces. SR-93 can be used in interior and exterior concrete or masonry repairs.

EUCOSPEED FAST DRYING REPAIR



This is a fast-setting, hardening cementitious material for patching and repairing concrete surfaces. EUCO-SPEED is easy to use as it only requires adding water and can be applied with the use of conventional tools, equipment and procedures. It bonds firmly to properly prepared concrete and provides a long-lasting patch.

VANDEX SUPER WATERPROOFING BY CRYSTALLIZATION



VANDEX SUPER is a waterproofing and protecting product that is applied to concrete surfaces; it only requires water for mixing and subsequent application. When applied to concrete surfaces, the active components that make it up combine with the free lime and water present in the concrete, forming complex insoluble crystals.

VULKEM 45SSL SELF-LEVELING POLYURETHANE SEALANT



A polyurethane low-modulus, single-component sealant, that cures with moisture. It provides exceptional wear resistance, necessary in high traffic areas.



SEPARATOR
DISC



PYRAMID
SPACER



SAFETY
CAPS



MEZZANINE
SPACER




SPIKES



BACKER
ROD



FOAMTECH
FILLER



FLAT O DIAMOND DOWEL
WITH PLATEN



LADDER
BASKETS



DIFICON METALLIC
FIBER



F-MAX POLYPROPYLENE
FIBER



FLEXIBLE POLISHING
RESINS



POLYURETHANE SEALANT
AND DURETAN SAUSAGE




CAULK
GUN



FLOAT
DISC



3" POLISHING
PADS



  /kimikolor  iFollow Us!

contacto@kimikolor.com
Tel: 800-510-KIMI / +52 999-195-6449

MAIN FACTORY KIMIKOLOR
Km. 3.4 Carretera Antigua Conkal-Chicxulub Pueblo,
Conkal, Yucatán, México.